

SPECIFICATION



Technical Details

LOA	10.40 m	34' 1"
Hull length	9.99 m	32' 9"
LWL	9.55 m	31' 4"
Beam	3.50 m	11' 6"

Draft

shallow keel	1.55 m	5' 1"
L-keel, medium	1.95 m	6' 5"

Displacement

shallow keel	approx.	6.70 t	14,771 lbs
L-keel, medium	approx.	6.56 t	14,462 lbs

Engine Diesel

standard	approx.	21.00 PS	21.00 hp
option	approx.	29.00 PS	29.00 hp

Fuel tank approx. 160 l 42 gal

Fresh water approx. 210 l 55 gal

CE Certificate A - 4 (XB1000, XE1000)

Design judel / vrolijk & co

Interior HanseYachts Design

Mast length above WL approx. 16.20 m 53' 2"

Total sail area approx. 55.90 m² 602 sq ft

Main sail

standard approx. 34.00 m² 366 sq ft

furling approx. 31.50 m² 339 sq ft



Self-tacking jib approx. 21.90 m² 236 sq ft

Crossover approx. 63.00 m² 678 sq ft


Gennaker approx. 87.70 m² 944 sq ft

348

All measurements/figures are approximate. Errors and omissions excepted. All weights are specified in MLC. Specification and material can be changed without notice. Valid from 2023.07.01 for deliveries until 2024.12.31.



Standard



Option

HULL

- 2 hull windows (1 each side)
- GRP hull, isophthalic gelcoat, colour Signal White (similar RAL 9003), 1st layer vinyl ester resin and solid laminat
- Waterline and cove line, isophthalic gelcoat, colour: Dark Grey (similar RAL 7043)

KEEL

- L-keel, cast iron, draft: 1.95 m
- GRP rudder with sea-water resistant aluminium shaft and selfaligning bearings

LAYOUT & INTERIOR

- A1: Master cabin with double V-berth and storage space
- B1: Saloon with L-galley, dining area on stb and sofa on port
- C1: Aft cabin with double berth and storage space on stb, utility room on port - separate head with shower stall on port
- 2-burner gas stove, 12 V fridge approx. 130 l, waste bin, double stainless steel sink with mixing tab
- Interior furniture in high quality marine plywood, satin varnish
- Hanse companionway closing system
- Saloon table, folding with stowage
- Worktop in galley - Black Quartz

WOOD (FURNITURE, FLOORBOARD)

- Furniture - Mahogany Style, Satin Varnish
- Cupboard fronts in wood colour
- Floorboard - Acacia

UPHOLSTERY

- Mattresses for all berths
- Upholstery - Monte Carlo, colour: Cream

DECK & OUTSIDE EQUIPMENT

- GRP deck with antislip surface, isophthalic gelcoat, colour: Signal White (similar RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. Cockpit lockers on port and stb, anchor locker at bow.
- Synthetic teak on cockpit benches (colour selection)
- Twin wheel steering system with emergency tiller
- 2 stainless steel steering wheels with leather cover

- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire
- Halyards and control lines with organizers and jammers on coach roof, 4 mooring cleats, handrails on coach roof, bow anchor fitting with teakstep
- 2 LEWMAR 40 ST EVO manual halyard winches
- Swimming ladder
- Self tacking jib system
- Mainsheet system
- 5 deck hatches - openable, anchor locker hatch, stowage on coach roof with acrylic glass hatch
- 6 deck coach roof windows, acrylic glass next to companionway

RIG & SAILS

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Manual jib furler
- ELVSTRØM Dacron sails - full battened, main and jib

NAVIGATION & INSTRUMENTS

- Illuminated compass
- Navigation lights - LED

PROPULSION

- Fuel tank, approx. 160 l
- Engine (Diesel, approx. 21 hp) - saildrive, 2-blade fix propeller

EQUIPMENT

- 12 V and 230 V electric system with main panels and 230 V shore power and sockets
- AGM battery set, capacity: 1x 90 Ah + 1x 160 Ah AGM
- Country Version: EU / AUS
- Battery charger 35 A
- Manual toilet with sea water flush
- LPG gas system, stowage for 1 gas bottle
- Black water system (appr. 35 l) with deck extraction and seacock for head, electric and manual bilge pump
- Fresh water system with electric pump
- Fresh water tank, appr. 210 l

SHIPPING & TRANSPORT

- CE - Certificate cat. A - 4 (XB1000, XE1000) / B - 8 / C - 10 / D - 12
- Owners manual
- EC - Type Examination Certificate