

# SPECIFICATION



LOA		11.40 m	37' 5"
Hull length		10.99 m	36' 1"
LWL		10.40 m	34' 1"
Beam		3.90 m	12' 10"
Draft			
shallow keel		1.62 m	5' 4"
L-keel, medium		2.06 m	6' 9"

Displacement			
shallow keel	approx.	8.66 t	19,092 lbs
L-keel, medium	approx.	8.27 t	18,232 lbs

Engine Diesel			
standard	approx.	29.00 PS	29.00 hp
option	approx.	39.00 PS	39.00 hp

Fuel tank	approx.	160 l	42 gal
Fresh water	approx.	295 l	77 gal


CE Certificate	A - 6 (XE1000)		
Design	judel / vrolijk & co		
Interior	HanseYachts Design		

Mast length above WL	approx.	17.60 m	57' 9"
Total sail area	approx.	72.00 m <sup>2</sup>	775 sq ft


Main sail			
standard	approx.	43.50 m <sup>2</sup>	468 sq ft
furling	approx.	39.00 m <sup>2</sup>	420 sq ft
Self-tacking jib	approx.	28.50 m <sup>2</sup>	307 sq ft
Crossover	approx.	61.10 m <sup>2</sup>	657 sq ft
Gennaker	approx.	93.90 m <sup>2</sup>	1,010 sq ft

# 388


All measurements/figures are approximate. Errors and omissions excepted. All weights are specified in MLC. Specification and material can be changed without notice. Valid from 2023.07.01 for deliveries until 2024.12.31.



Standard



Option



Option

**HULL**

- 6 hull windows (3 each side)
- GRP hull, isophthalic gelcoat, colour Signal White (similar RAL 9003), 1st layer vinyl ester resin and solid laminat
- Waterline and cove line, isophthalic gelcoat, colour: Dark Grey (similar RAL 7043)

**KEEL**

- L-keel, cast iron, draft: 2.06 m
- GRP rudder with sea-water resistant aluminium shaft and selfaligning bearings

**LAYOUT & INTERIOR**

- A1: Master cabin with double V-berth and storage space
- B1: Saloon with large L-galley, dining area on stb and sofa on port
  - separate head with shower stall on port (only with layout C1)
- C1: Aft cabin with double berth and storage space on port, utility room on stb (only with layout B1)
- 2-burner gas stove, 12 V fridge approx. 130 l, waste bin, double stainless steel sink with mixing tab
- Interior furniture in high quality marine plywood, satin varnish
- Hanse companionway closing system
- Saloon table, folding with stowage
- Worktop in galley - Black Quartz
- SLS - Scenario light system - touch screen controller and dimmer in saloon

**WOOD (FURNITURE, FLOORBOARD)**

- Furniture - Mahogany Style, Satin Varnish
- Cupboard fronts in wood colour
- Floorboard - Acacia

**UPHOLSTERY**

- Mattresses for all berths
- Upholstery - Monte Carlo, colour: Cream

**DECK & OUTSIDE EQUIPMENT**

- GRP deck with antislip surface, isophthalic gelcoat, colour: Signal White (similar RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. 1 cockpit locker on stb, stern locker on port and stb, stowage for running rigging at helm position, anchor locker at bow.

- Synthetic teak on cockpit benches (colour selection)
- Twin wheel steering system with emergency tiller
- 2 stainless steel steering wheels with leather cover
- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire
- Covered halyards and control lines lead to cockpit helm position, organizers and jammers, 4 mooring cleats, handrail on coach roof, bow anchor fitting with teakstep
- 2 LEWMAR 40 ST EVO manual halyard winches
- Swimming ladder
- Anchor and forestay fitting
- Self tacking jib system
- Mainsheet system
- 3 deck hatches - openable, anchor locker hatch, stowage on coach roof with acrylic glass hatch
- Coach roof side windows with openable portlight on ps
- 6 deck coach roof windows with openable portlight in bathroom, glass next to companionway, glass in saloon and master cabin, 2 portlights in cockpit side for aft-cabins

**RIG & SAILS**

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Manual jib furler
- ELVSTRØM Dacron sails - full battened, main and jib

**NAVIGATION & INSTRUMENTS**

- Illuminated compass
- Navigation lights - LED

**PROPULSION**

- Fuel tank, approx. 160 l
- Engine (Diesel, approx. 29 hp) - saildrive, 2-blade fix propeller

**EQUIPMENT**

- 12 V and 230 V electric system with main panels and 230 V shore power and sockets.
- AGM battery set, capacity: 1x 90 Ah + 1x 160 Ah AGM
- Country Version: EU / AUS
- Battery charger 35 A
- Manual toilet with sea water flush - cabin layout B

- LPG gas system, stowage for 1 gas bottle
- Black water system (appr. 35 l) with deck extraction and seacock for head, electric and manual bilge pump
- Fresh water system with electric pump and 20 l hotwater, heated also by main engine
- Fresh water tank, appr. 295 l

#### **ACCESSORIES**

- Mast steps

#### **SHIPPING & TRANSPORT**

- CE - Certificate cat. A - 6 (XE1000) / B - 10 / C - 12
- Owners manual
- EC - Type Examination Certificate